



CAMO PRODUCT GUIDE 2020



BUILD YOUR DECK UP TO 5X FASTER

ANY DECK BOARD, SUBSTRUCTURE, DESIGN, OR DESIRED FINISH.
CAMO® HELPS YOU BUILD BETTER.



FASTENERS

UNIVERSAL CLIPS & SCREWS

Any fastening method for
any board.



LEVER®

BOARD BENDING & LOCKING TOOL

Lock any board on wood
or steel joists.



DRIVE™

STAND-UP DECK FASTENING TOOL

Fasten EDGE Screws, Clips,
and Face Screws.

USE CAMO TO MAKE YOUR JOBS
EASIER. FASTER. BETTER.

We've got your back.

CAMO® products are warranted
for use with leading deck boards.

CONTENTS

INNOVATION

Clips..... 4

LEVER®..... 5

DRIVE™..... 6

Collated Screws..... 7

HAND DRIVE EDGE FASTENING SYSTEM

MARKSMAN Guides..... 8

EDGE Screws..... 10

EXTERIOR SCREWS

Overview14

Premium Deck Screws16

Premium Trim Screws.....20

Composite Screws.....26

Structural Screws.....32

CLIPS

CAMO® deck clips make installing grooved decking on wood or metal framing easy for everyone. Fasten EDGE™, EDGEX™, and EDGEXMETAL™ Clips by hand with the included NEVER-MISS™ Guide or while standing up with the DRIVE™ tool.



EDGE™ Clips

- 90° deck patterns
- One-pass fastening
- Easy to install
- Creates 3/16" (4.7mm) gap
- For use with grooved composite, capped composite, PVC, and hardwood



EDGEX™ Clips

- Any angled deck pattern
- One-pass fastening
- Easy to install
- Creates 3/16" (4.7mm) gap
- For use with grooved composite, capped composite, PVC, and hardwood



EDGEXMETAL™ Clips

- Any angled deck pattern
- One-pass fastening
- Works with any 14-18GA metal framing
- Creates 3/16" (4.7mm) gap
- For use with grooved composite, capped composite, PVC, and hardwood-on metal framing



STARTER Clips

- Secure the first and last grooved board with STARTER Clips
- Achieve a fastener-free deck surface
- Easy to install
- Can also be used as an L-Bracket

SKU#	DESCRIPTION	STAR DRIVE	COVERAGE	QTY	CT./MASTER
0344354	EDGE™ Clip - 90° Deck Pattern	1 - T15	50 SQ. FT. (4.64M ²)	90	4
0344359		2 - T15	250 SQ. FT. (23.22M ²)	450	1
0344356		2 - T15	500 SQ. FT. (46.45M ²)	900	1
0344554	EDGEX™ Clip - Any Deck Pattern	1 - T15	50 SQ. FT. (4.64M ²)	90	4
0344559		2 - T15	250 SQ. FT. (23.22M ²)	450	1
0344556		2 - T15	500 SQ. FT. (46.45M ²)	900	1
0344574	EDGEXMETAL™ Clip - 14-18GA Metal Framing	1 - T15	50 SQ. FT. (4.64M ²)	90	4
0344579		2 - T15	250 SQ. FT. (23.22M ²)	450	1
0344087	STARTER Clip - For Wood Joists	1 - T15	30 lineal FT. (9M)	25	6



LEVER®

Build a better deck by yourself with **LEVER®**, the one-turn tool that locks-in rows of boards and clips and straightens warped boards.

- Speed up grooved deck installs—lock-in rows of boards and clips
- Strong enough to straighten any warped board
- Adjusts to single, double, and steel joists for job site versatility
- Multi-directional lever locks in one turn
- Use 2-4 LEVERS for the best clip installation experience

LOCK-IN BOARDS



BEND BOARDS



ANY BOARD. ANY JOIST.



SKU#	DESCRIPTION	QTY	CT./MASTER
0345070	LEVER®	1	4

**PAIR WITH THE CAMO *DRIVE*™ AND FASTENERS
TO REDUCE INSTALL TIME**



FASTENERS

Hidden deck clips &
easy-to-fasten screws



LEVER®

Straightens boards &
locks them in place



DRIVE™

Fasten screws or
clips from your feet

DRIVE™

Stand up, save your back and knees,
and save your time with the
award-winning CAMO® DRIVE™ tool.

- Cordless stand-up deck fastening tool that attaches to your drill
- Can be used for three fastening methods—EDGE*, Clip, and Face fastening—on any deck board surface
- Adjustable handle, easy to swap out guides, and quick to load
- For exclusive use with CAMO Collated Deck Screws, EDGE™, EDGEX™, and EDGEXMETAL™ Clips
- Driver bits and fastening guides are included



EDGE Guide



Clip Guide



Face Guide



T15 Bit for EDGE and Clip fastening
(included in box and sold separately)




T20 Bit for Face fastening
(included in box and sold separately)

EDGE FASTENING



CLIP FASTENING



FACE FASTENING



*Do not use DRIVE™ to EDGE fasten capped composites and hardwoods as those boards need to be pre-drilled. Use the MARKSMAN Pro to pre-drill and EDGE fasten capped composite and hardwood boards.

SKU#	DESCRIPTION	QTY	CT./MASTER
0345060	DRIVE™	1	1
0395715	T15 Bit (replacement)	2/pk	4
0395720	T20 Bit (replacement)	2/pk	4

COLLATED DECK SCREWS

For exclusive use with the CAMO® *DRIVE™*



EDGE SCREWS



- For use in 1" (26mm) thick treated lumber, composite, or PVC decking
- EDGE deck screws install through the edge of the deck board, leaving a fastener-free surface
- Rake tip augers material out, trimhead reduces visibility of the screw



COMPOSITE FACE SCREWS



- For use in 1" (26mm) thick composite, capped composite, and PVC deck boards
- Fast-starting slash point, T20 Star Drive for reduced cam-outs, cutting lead edge for a flush finish
- Available in 3 colors that match popular boards



WOOD BUGLEHEAD FACE SCREWS



- For use in up to 1-1/2" (38mm) thick treated lumber, cedar, redwood, and hardwood
- Rake tip augers material out, T20 Star Drive reduces cam-outs, and buglehead draws the board tight

SKU#	CATEGORY	ALLOY/COLOR	SIZE	QTY	DRIVER BIT	CT./MASTER
0395010	EDGE Screws	Carbon/ProTech	2-3/8" (60mm)	1000	2 - T15	1
0395020S		316 Stainless Steel				
0395050	Composite Screws	Brown	2-1/2" x #10 (64mm)	1000	2 - T20	1
0395060		Grey				
0395070		Tan				
0395080		304 Stainless Steel - Non-Painted				
0395040	Wood Buglehead Face Screws	Green	3" x #10 (76mm)	1000	2 - T20	1
0395042		Tan				

HAND DRIVE EDGE FASTENING SYSTEM


MARKSMAN GUIDES

The CAMO® Hand Drive EDGE Fastening System is a quick and easy way to achieve a fastener-free surface when installing square edge deck boards.

The system includes MARKSMAN Guides, EDGE deck screws, and driver and pre-drill bits. The heavy-duty contractor-grade tools clamp to and space the boards, while perfectly lining up the screw guide holes on the joist. Once you place the tool on the board, drop in two EDGE screws, and fasten.



How It Works



HAND DRIVE EDGE FASTENING SYSTEM



MARKSMAN PRO®

- For use with treated, hardwood, cedar, composite, and PVC deck boards
- Fits most 5-1/4" (133mm) to 5-3/4" (146mm) deck board
- Automatic 3/16" (4.7mm) spacing



MARKSMAN PRO® - X1

- For use with treated and other softwood lumber
- Fits most 5-1/4" (133mm) to 5-3/4" (146mm) deck board
- Automatic 1/16" (1.59mm) spacing



MARKSMAN PRO® - NB

- For use with treated, hardwood, cedar, composite, and PVC deck boards. For narrow deck boards measuring 3-1/4" (83mm) to 5" (127mm)
- Automatic 3/16" (4.7mm) spacing



MARKSMAN EDGE™

- For use with treated and other softwood lumber
- No installed gap between boards
- Attaches to any drill
- Heavy-duty, contractor grade tool
- For additional gap options, can be used with secondary spacers

SKU#	DESCRIPTION	QTY	CT./MASTER
0345001	MARKSMAN Pro	1	6
0345002	MARKSMAN Pro - X1	1	6
0345015	MARKSMAN Pro - NB	1	6
0345020	MARKSMAN Edge	1	6

Pre-drilling is required for hardwood and capped composite installations.

HAND DRIVE EDGE FASTENING SYSTEM

EDGE SCREWS


The Best Deck Screws You'll Never See.

CAMO EDGE Deck Screws are an innovative, easy-to-install hidden fastener that delivers a high-end look at an affordable price. The EDGE screws feature a patented rake tip that augers material out as you drive and a trimhead to reduce visibility.



DECK BOARD MATERIAL	RECOMMENDED CAMO EDGE DECK FASTENER
Pressure Treated Lumber	Stainless Steel or ProTech Coated
Composite	Stainless Steel or ProTech Coated
Capped Composite	Stainless Steel or ProTech Coated (with pre-drilling)
PVC	Stainless Steel or ProTech Coated
Cedar	Stainless Steel Required
Redwood	Stainless Steel Required
Hardwood or Imported Hardwood	Stainless Steel Required (with pre-drilling)

HAND DRIVE EDGE FASTENING SYSTEM



Available in 1-7/8" (48mm) and 2-3/8" (60mm)
ProTech coated carbon steel and 304 or 316 Stainless Steel

- Reduced Trimhead design provides a less visible point of entry
- Star Drive offers more points of contact for better performance and reduces bit slippage and wear
- Reverse Upper Thread pulls the board tight to the joist and provides a clean, finished entry
- Aggressive Lower Thread pattern provides superior holding power
- Reverse Rake Tip removes deck material as it bores, allowing the screw to penetrate the board without splitting*

*Pre-drilling is required for hardwood and capped composite installations.



HAND DRIVE EDGE FASTENING SYSTEM

EDGE SCREWS

1-7/8" (48mm) SCREWS - FOR USE WITH 3/4" (19mm) - 1" (25mm) DECK BOARDS

2-3/8" (60mm) SCREWS - FOR USE WITH 1" (25mm) - 1-1/2" (38mm) DECK BOARDS

ProTech COATED

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0345120	1-7/8" (48mm) x #7	100	--	12
0345128		350	1 - T15	12
0345124		700	2 - T15	4
0345119		1750	2 - T15	4
0345140	2-3/8" (60mm) x #7	100	--	12
0345148		350	1 - T15	12
0345144		700	2 - T15	4
0345139		1750	2 - T15	4

304 STAINLESS STEEL

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0345748	2-3/8" (60mm) x #7	350	1 - T15	12
0345744		700	2 - T15	4
0345739		1750	2 - T15	1

316 STAINLESS STEEL

SKU#	SIZE	QTY	DRIVER BIT	CT./MASTER
0345220S	1-7/8" (48mm) x #7	100	--	12
0345228S		350	1 - T15	12
0345224S		700	2 - T15	4
0345219S		1750	2 - T15	1
0345240S	2-3/8" (60mm) x #7	100	--	12
0345248S		350	1 - T15	12
0345244S		700	2 - T15	4
0345239S		1750	2 - T15	1

HAND DRIVE EDGE FASTENING SYSTEM

DRIVER AND PRE-DRILL BITS

CAMO Driver Bits are engineered specifically for use with CAMO Hand Drive EDGE Deck Fastening System. The built-in shoulder sets automatic depth of drive for maximum holding power, and prevents over-driving the screw.

SKU#	DESCRIPTION	QTY	CT./MASTER
0345099	Driver Bit	2/pk	10
0345089	Driver Bit for Grooved Board	2/pk	10
0345035	Pre-Drill Bit	2/pk	10



EXTERIOR FASTENING

EXTERIOR SCREWS

Built for premium protection and performance, CAMO® Exterior Screws are compatible and warranted for use with a variety of treated lumber and synthetic decking materials.



Our high-quality CAMO Exterior Screws include 4 categories:

CAMO Premium Deck - Multi-purpose buglehead screws for decking and other exterior projects


CAMO Premium Trim - Trimhead screws for finishing applications

CAMO Composite - Color-coded to match the color of your deck board

CAMO Structural - Strength and durability for the posts, and substructure

EXTERIOR FASTENING

EXTERIOR SCREW COATINGS



ProTech

CAMO ProTech coating provides a triple layer of protection with zinc dichromate covered with two layers of the CAMO proprietary ProTech polymer. ProTech coated CAMO Exterior Fasteners are ACQ Compatible, providing superior corrosion resistance.



305 + 316 STAINLESS STEEL

CAMO 305 or 316 Stainless Steel fasteners offer superior corrosion resistance when conditions demand. 316 Stainless Steel is recommended for marine and coastal environments.

POWER BITS

CAMO Power Bits are engineered specifically for use with CAMO Exterior Screws. The built-in shoulder sets automatic depth of drive for maximum holding power, and prevents over-driving the screw.



SKU#	DESCRIPTION	QTY	CT./MASTER
0333900	T15 Star Drive	3	10
0333910	T20 Star Drive	3	10
0333920	T25 Star Drive	3	10
0333990	T30 Star Drive	3	10
0333930	T40 Star Drive	3	10

PREMIUM DECK SCREWS

CAMO® premium buglehead deck screws blend in with wood surfaces and secure your project for a lifetime.



WHAT MAKES THESE DECK SCREWS PREMIUM?

Screw Design - Head style and 2/3 thread design combine to draw the board tight without cutting into the board, leaving a flush finish.

Star Drive - Provides more points of contact to reduce cam-out and eliminate excessive wear on the screw head and bit.


Type 17 Slash Point - Starts fast and makes it easier to drive the screw.

ACQ Compatible - CAMO's proprietary ProTech coating provides three protective layers that guard against corrosion when used with chemically treated wood. Also available in 305 or 316 Stainless Steel.

Limited Warranty - CAMO guarantees against rust and corrosion for the life of the project.

EXTERIOR FASTENING

Buglehead Screws



 CAMO Power Bit included in each package



EXTERIOR FASTENING

PREMIUM DECK SCREWS

PROTECH COATED

GREEN SKU#	TAN SKU#	SIZE	QTY	CT./MASTER
0341070	0356070	1-1/4" (32mm) x #7	100	12
0341074	0356074		350	4
0341100	0356100	1-5/8" (41mm) x #8	100	12
0341104	0356104		350	4
0341109	0356109		1750	1
0341130	0356130	2" (51mm) x #8	100	12
0341134	0356134		350	4
0341139	0356139		1750	1
0341150	0356150	2-1/2" (64mm) x #9	100	12
0341154	0356154		350	4
0341159	0356159		1750	1
0341170	0356170	3" (76mm) x #9	100	12
0341174	0356174		350	4
0341179	0356179		1750	1
0341190	0356190	3-1/2" (89mm) x #10	50	12
0341194	0356194		250	4
0341199	0356199		1350	1
0341200	0356200	4" (102mm) x #10	50	12
0341204	0356204		250	4
0341209	0356209		1350	1

EXTERIOR FASTENING

305 STAINLESS STEEL

SKU#	SIZE	QTY	CT./MASTER
0348150	2-1/2" (64mm) x #10	100	12
0348154		350	4
0348159		1750	1
0348170	3" (76mm) x #10	100	12
0348174		350	4
0348179		1750	1

316 STAINLESS STEEL

SKU#	SIZE	QTY	CT./MASTER
0348100S	1-5/8" (41mm) x #9	100	12
0348104S		350	4
0348130S	2" (51mm) x #9	100	12
0348134S		350	4
0348139S		1750	1
0348150S	2-1/2" (64mm) x #10	100	12
0348154S		350	4
0348159S		1750	1
0348170S	3" (76mm) x #10	100	12
0348174S		350	4
0348179S		1750	1
0348190S	3-1/2" (89mm) x #10	50	12
0348194S		250	4
0348199S		1350	1

PREMIUM TRIM SCREWS

For exterior trim and a variety of other exterior projects, CAMO® Premium Trim Screws blend in with your material and secure your project for a lifetime.



WHAT MAKES THESE TRIM SCREWS PREMIUM?

Screw Design - Trimhead style and 2/3 thread design combine to draw the board tight, leaving less screw visibility for your exterior finish projects.


ACQ Compatible - CAMO's proprietary ProTech coating provides three protective layers that guard against corrosion when used with chemically treated wood. Also available in 316 stainless steel.

Star Drive - More points of contact to reduce cam-outs and deliver higher torque.

Type 17 Slash Point - Starts fast and makes it easier to drive the screw.

Limited Warranty - CAMO® guarantees against rust and corrosion for the life of the project.

EXTERIOR FASTENING




CAMO Power Bit included in each package



PREMIUM TRIM SCREWS

PROTECH COATED

SKU#	SIZE	QTY	CT./MASTER
0346100	1-5/8" (41mm) x #7	100	12
0346104		350	4
0346130	2" (51mm) x #7	100	12
0346134		350	4
0346150	2-1/2" (64mm) x #7	100	12
0346154		350	4
0346170	3" (76mm) x #7	100	12
0346174		350	4
0346190	3-1/2" (89mm) x #8	100	12
0346194		350	4



316 STAINLESS STEEL

SKU#	SIZE	QTY	CT./MASTER
0350100S	1-5/8" (41mm) x #8	100	12
0350104S		350	4
0350130S	2" (51mm) x #8	100	12
0350134S		350	4
0350150S	2-1/2" (64mm) x #8	100	12
0350154S		350	4
0350170S	3" (76mm) x #8	100	12
0350174S		350	4
0350190S	3-1/2" (89mm) x #8	100	12
0350194S		350	4



EXTERIOR FASTENING

316 STAINLESS STEEL

SKU#	SIZE	QTY	CT./MASTER	COLOR
0353100S	1-5/8" (41mm) x #8	100	12	White
0353104S		350	4	
0353109S		1750	1	
0353150S	2-1/2" (64mm) x #8	100	12	
0353154S		350	4	
0353159S		1750	1	
0353000BS	1-5/8" (41mm) x #8	100	12	Brown
0353004BS		350	4	
0353009BS		1750	1	
0353050BS	2-1/2" (64mm) x #8	100	12	
0353054BS		350	4	
0353059BS		1750	1	
0353000TS	1-5/8" (41mm) x #8	100	12	Tan
0353004TS		350	4	
0353009TS		1750	1	
0353050TS	2-1/2" (64mm) x #8	100	12	
0353054TS		350	4	
0353059TS		1750	1	
0353000CS	1-5/8" (41mm) x #8	100	12	Cedar
0353004CS		350	4	
0353009CS		1750	1	
0353050CS	2-1/2" (64mm) x #8	100	12	
0353054CS		350	4	
0353059CS		1750	1	



PREMIUM TRIM SCREWS

316 STAINLESS STEEL PAINTED

SKU#	SIZE	QTY	CT./MASTER	COLOR
0353000ES	1-5/8" (41mm) x #8	100	12	Grey
0353004ES		350	4	
0353009ES		1750	1	
0353050ES	2-1/2" (64mm) x #8	100	12	
0353054ES		350	4	
0353059ES		1750	1	
0353000RS	1-5/8" (41mm) x #8	100	12	Redwood
0353004RS		350	4	
0353009RS		1750	1	
0353050RS	2-1/2" (64mm) x #8	100	12	
0353054RS		350	4	
0353059RS		1750	1	
0353000WS	1-5/8" (41mm) x #8	100	12	Winchester
0353004WS		350	4	
0353009WS		1750	1	
0353050WS	2-1/2" (64mm) x #8	100	12	
0353054WS		350	4	
0353059WS		1750	1	



EXTERIOR FASTENING

316 STAINLESS STEEL PAINTED

SKU#	SIZE	QTY	CT./MASTER	COLOR
0353000NS	1-5/8" (41mm) x #8	100	12	Stone Grey
0353004NS		350	4	
0353009NS		1750	1	
0353050NS	2-1/2" (64mm) x #8	100	12	
0353054NS		350	4	
0353059NS		1750	1	
0353000SS	1-5/8" (41mm) x #8	100	12	Sand
0353004SS		350	4	
0353009SS		1750	1	
0353050SS	2-1/2" (64mm) x #8	100	12	
0353054SS		350	4	
0353059SS		1750	1	
0353000DS	1-5/8" (41mm) x #8	100	12	Dark Brown
0353004DS		350	4	
0353009DS		1750	1	
0353050DS	2-1/2" (64mm) x #8	100	12	
0353054DS		350	4	
0353059DS		1750	1	
353000GS	1-5/8" x #8	100	12	Dark Grey
353004GS		350	4	
353009GS		1750	1	
353050GS	2-1/2" x #8	100	12	
353054GS		350	4	
353059GS		1750	1	



PREMIUM COMPOSITE SCREWS

For your next composite and PVC decking project, CAMO® has you covered. These Composite Screws deliver unsurpassed performance and a beautiful flush and color-matched finish.



WHAT MAKES THESE COMPOSITE SCREWS PREMIUM?

Head Design - The leading edge of the head is designed to cut cleanly through the board surface to provide a smooth finish and small reveal. A T20 star drive offers more points of contact to reduce cam-out and eliminate excessive wear on the screw head and bit.

Screw Design - The unique trilobular shank reduces material displacement and allows higher torque. The sharp thread profile easily drives through the board, while the reverse thread design at the top captures displaced material and increases pull down power.


Type 99 Slash Point - Augers material for a fast start and easy penetration.

Color-Matched - To complement most leading manufacturer's composite, capped composite and PVC deck boards.

ACQ Compatible - CAMO's proprietary ProTech coating provides three protective layers that guard against corrosion when used with chemically treated wood. Also available in 316 stainless steel.

Limited Warranty - CAMO® guarantees against rust and corrosion for the life of the project.

EXTERIOR FASTENING



 CAMO Power Bit included in each package



Use the Color Matcher on camofasteners.com to find the right color screw for your deck board



PREMIUM COMPOSITE SCREWS

PROTECH COATED

SKU#	SIZE	QTY	CT./MASTER	COLOR
0349250	2-1/2" (64mm) x #10	100	12	Brown
0349254		350	4	
0349259		1750	1	
0349274	3" (76mm) x #10	350	4	
0349279		1750	1	
0349350	2-1/2" (64mm) x #10	100	12	Cedar
0349354		350	4	
0349359		1750	1	
0349374	3" (76mm) x #10	350	4	
0349379		1750	1	
0349050	2-1/2" (64mm) x #10	100	12	Dark Brown
0349054		350	4	
0349059		1750	1	
0349074	3" (76mm) x #10	350	4	
0349079		1750	1	
0349450	2-1/2" (64mm) x #10	100	12	Grey
0349454		350	4	
0349459		1750	1	
0349474	3" (76mm) x #10	350	4	
0349479		1750	1	
0349550	2-1/2" (64mm) x #10	100	12	Redwood
0349554		350	4	
0349559		1750	1	
0349574	3" (76mm) x #10	350	4	
0349579		1750	1	



EXTERIOR FASTENING

PROTECH COATED

SKU#	SIZE	QTY	CT./MASTER	COLOR
0349750	2-1/2" (64mm) x #10	100	12	Sand
0349754		350	4	
0349759		1750	1	
0349774	3" (76mm) x #10	350	4	
0349779		1750	1	
0349950	2-1/2" (64mm) x #10	100	12	Stone Grey
0349954		350	4	
0349959		1750	1	
0349974	3" (76mm) x #10	350	4	
0349979		1750	1	
0349150	2-1/2" (64mm) x #10	100	12	Tan
0349154		350	4	
0349159		1750	1	
0349174	3" (76mm) x #10	350	4	
0349179		1750	1	
0349850	2-1/2" (64mm) x #10	100	12	Winchester
0349854		350	4	
0349859		1750	1	
0349874	3" (76mm) x #10	350	4	
0349879		1750	1	
0349000G	2-1/2" (64mm) x #10	100	12	Dark Grey
0349004G		350	4	
0349009G		1750	1	



PREMIUM COMPOSITE SCREWS

316 STAINLESS

SKU#	SIZE	QTY	CT./MASTER	COLOR
0367158BS	2-1/2" (64mm) x #10	350	4	Brown
0367159BS		1750	1	
0367178BS	3" (76mm) x #10	350	4	
0367179BS		1750	1	
0367158CS	2-1/2" (64mm) x #10	350	4	Cedar
0367159CS		1750	1	
0367178CS	3" (76mm) x #10	350	4	
0367179CS		1750	1	
0367158ES	2-1/2" (64mm) x #10	350	4	Grey
0367159ES		1750	1	
0367178ES	3" (76mm) x #10	350	4	
0367179ES		1750	1	
0367158DS	2-1/2" (64mm) x #10	350	4	Dark Brown
0367159DS		1750	1	
0367178DS	3" (76mm) x #10	350	4	
0367179DS		1750	1	
0367158NS	2-1/2" (64mm) x #10	350	4	Stone Grey
0367159NS		1750	1	
0367178NS	3" (76mm) x #10	350	4	
0367179NS		1750	1	



EXTERIOR FASTENING

316 STAINLESS

SKU#	SIZE	QTY	CT./MASTER	COLOR
0367158RS	2-1/2" (64mm) x #10	350	4	Redwood
0367159RS		1750	1	
0367178RS	3" (76mm) x #10	350	4	
0367179RS		1750	1	
0367158SS	2-1/2" (64mm) x #10	350	4	Sand
0367159SS		1750	1	
0367178SS	3" (76mm) x #10	350	4	
0367179SS		1750	1	
0367158TS	2-1/2" (64mm) x #10	350	4	Tan
0367159TS		1750	1	
0367178TS	3" (76mm) x #10	350	4	
0367179TS		1750	1	
0367158WS	2-1/2" (64mm) x #10	350	4	Winchester
0367159WS		1750	1	
0367178WS	3" (76mm) x #10	350	4	
0367179WS		1750	1	



STRUCTURAL SCREWS

From deck substructure to landscape timbers, CAMO® Multi-Purpose Structural and Ledger screws are an easy, code compliant way to replace 3/8" (10mm) and 1/2" (13mm) lag screws.



WHAT MAKES THESE STRUCTURAL SCREWS PREMIUM?

Independently Tested - Visit camofasteners.com for full structural screw test results.

Versatile - Wide variety of lengths for many structural applications.

Flat Head - Large surface area of the washer-style head provides stronger holding power.

ACQ Compatible - CAMO's proprietary ProTech coating provides three protective layers that guard against corrosion when used with chemically treated wood.

Star Drive - More points of contact to reduce cam-outs and deliver higher torque.


Sharp Point - Enables fast starts and easy drive.

Limited Warranty - CAMO guarantees against rust and corrosion for the life of the project.

EXTERIOR FASTENING

Multi-Purpose Screws

Ledger Screws*



CAMO Power Bit included in 50, 250, and 500ct. packages



STRUCTURAL SCREWS

ProTech COATED - MULTI-PURPOSE

SKU#	SIZE	QTY	CT./MASTER
0347150	2-1/2" (64mm) x 1/4" (6mm)	10	10
0347154		50	4
0347159		500	1
0347170	3" (76mm)x 1/4" (6mm)	10	10
0347174		50	4
0347179		500	1
0347190	3-1/2" (89mm) x 1/4" (6mm)	10	10
0347194		50	4
0347199		500	1
0347200	4" (102mm) x 1/4" (6mm)	10	10
0347204		50	4
0347209		250	1
0347220	5" (127 mm) x 1/4" (6mm)	10	10
0347224		50	4
0347229		250	1
0347240	6" (152mm) x 1/4" (6mm)	10	10
0347244		50	4
0347249		250	1
0347260	8" (203mm) x 1/4" (6mm)	10	10
0347269		250	1
0347270	10" (254mm) x 1/4" (6mm)	10	10
0347279		250	1

EXTERIOR FASTENING

ProTech COATED - HEAVY DUTY

SKU#	SIZE	QTY	CT./MASTER
0347500	4" (102mm) x 5/16" (8mm)	10	10
0347504		50	4
0347509		250	1
0347540	6" (152mm) x 5/16" (8mm)	10	10
0347544		50	4
0347549		250	1
0347560	8" (203mm) x 5/16" (8mm)	10	10
0347569		250	1

ProTech COATED - LEDGER

SKU#	SIZE	QTY	CT./MASTER
0347490	3-5/8" (92mm) x 5/16" (8mm)	10	10
0347494		50	4
0347520	5" (127mm) x 5/16" (8mm)	10	10
0347524		50	4

CAMO[®]

The Better Way to Build a Deck

MICHIGAN

2964 Clydon Ave SW
Grand Rapids, MI 49519
800-968-6245

NEW YORK

5985 Tarbell Rd
Syracuse, NY 13206
800-521-1115

GEORGIA

555 Riverside Pkwy, Ste. 100
Austell, GA 30168
877-312-2388

TEXAS

3701 Yale St
Houston, TX 77018
713-699-3515

CALIFORNIA

8939 Etiwanda Ave
Rancho Cucamonga, CA 91739
800-968-6245

WASHINGTON

4512 70th Ave E Suite 400
Fife, WA 98424
303-340-2100

CAMOFASTENERS.COM



NATIONALNAIL.COM

#0345978
REV. 10/2020